

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/577,292	05/23/2000	Alireza Abaye	11470BAUS01U	3517
33000	7590 11/28/2005		EXAM	INER
DOCKET CLERK			LY, ANH VU H	
P.O. DRAWER 800889 DALLAS, TX 75380		ART UNIT	PAPER NUMBER	
			2667	
			DATE MAILED: 11/28/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Ų				
•	Application No.	Applicant(s)			
	09/577,292	ABAYE ET AL.			
Office Action Summary	Examiner	Art Unit			
	Anh-Vu H. Ly	2667			
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet	with the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REF	DI VIQ SET TO EVDIDE 2	MONITU(S) OR THIRTY (20) DAVS			
WHICHEVER IS LONGER, FROM THE MAILING  Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory perions  Failure to reply within the set or extended period for reply will, by state that the period for reply within the set or extended period for reply will, by state that the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may od will apply and will expire SIX (6) MO tute, cause the application to become	IICATION.  a reply be timely filed  DNTHS from the mailing date of this communication.  ABANDONED (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 29	September 2005.				
2a)⊠ This action is <b>FINAL</b> . 2b)□ TI	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.				
3) Since this application is in condition for allow	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice unde	r <i>Ex par</i> te Quayle, 1935 C	D. 11, 453 O.G. 213.			
Disposition of Claims					
4) Claim(s) <u>1-12,14-43,45-61 and 63-65</u> is/are	pending in the application.				
4a) Of the above claim(s) is/are withd					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-10,14-41,45-61 and 63-65</u> is/are	rejected.				
7) Claim(s) <u>11,12,42 and 43</u> is/are objected to.					
8) Claim(s) are subject to restriction and	d/or election requirement.				
Application Papers					
9) The specification is objected to by the Exami	iner.				
10) The drawing(s) filed on is/are: a) □ a	ccepted or b)  objected to	b by the Examiner.			
Applicant may not request that any objection to the	he drawing(s) be held in abey	ance. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the corre	ection is required if the drawin	g(s) is objected to. See 37 CFR 1.121(d).			
11) The oath or declaration is objected to by the	Examiner. Note the attache	ed Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreig	gn priority under 35 U.S.C.	§ 119(a)-(d) or (f).			
a) ☐ All b) ☐ Some * c) ☐ None of:					
<ol> <li>Certified copies of the priority docume</li> </ol>	ents have been received.				
<ol><li>Certified copies of the priority docume</li></ol>	ents have been received in	Application No			
<ol><li>Copies of the certified copies of the pr</li></ol>	riority documents have bee	n received in this National Stage			
application from the International Bure	, , , , , , , , , , , , , , , , , , , ,				
* See the attached detailed Office action for a li	ist of the certified copies no	ot received.			
Attachment(s)					
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)		/ Summary (PTO-413) o(s)/Mail Date			
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0	08) 5) Notice of	f Informal Patent Application (PTO-152)			
Paper No(s)/Mail Date	6) Other:				

#### **DETAILED ACTION**

### Response to Amendment

1. This communication is in response to applicant's amendment filed September 29, 2005. Claims 1-12, 14-43, 45-61 and 63-65 are pending.

# Claim Objections

2. Claims 1, 11, 32-33, 42, 61, and 63 are objected to because of the following informalities:

With respect to claims 1, 32, and 63, in line 2, the terms "for establishing" and "capable of affecting" are not positive limitations but only require the ability to so perform. Therefore, they do not limit a claim to a particular structure and do not limit the scope of a claim or claim limitations.

With respect to claims 11 and 42, in line 3, "network resource" should be changed to -- network resources- -.

With respect to claim 33, in line 2, "network resource" should be changed to - -network resources- -.

With respect to claim 61, in line 4, the terms "for establishing" and "capable of affecting" are not positive limitations but only require the ability to so perform. Therefore, they do not limit a claim to a particular structure and do not limit the scope of a claim or claim limitations.

Appropriate correction is required.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-10, 14-41, 45-61, and 63-65 are rejected under 35 U.S.C. 102(e) as being anticipated by Cheung et al (US Patent No. 6,515,964 B1).

With respect to claims 1-2, 7, 31-33, 38, 60-61, and 63, Cheung discloses in Fig. 2 a system for transporting voice signals over the packet network 140 (links or bus), wherein the admission control gateway 100 receives a call request, which including the caller's identification information and the callee's identification information (receiving a call request comprising an origination address for identifying an origination terminal and an identifier for identifying a destination terminal), from the first network 110, containing the call characteristic requirements (receiving a call request for establishing a call and capable of affecting a network resource, the call request defining a throughput requirement).

Cheung discloses (col. 5, line 65 – col. 6, line 4) that each gateway can also accumulate data parameters about the network and the current traffic, including network performance parameters (subset of one or more network resources such as total delay, packet loss, error rate, etc...) e.g., by polling every other gateway in the network (herein, every other gateway in the network may form at least one or more paths between the origination terminal and the destination terminal) and/or receiving data from network components, such as routers. Hence, each, gateway is able to keep or access up-to-date network data parameters (this implies that, network performance parameters are received, collected, monitored and, determined at the

Application/Control Number: 09/577,292

Art Unit: 2667

polling gateway from the polled gateways) (in response to the trace, receiving information identifying one or more network resources on the path between the origination terminal and the destination terminal and monitoring one or more performance characteristics of the one or more network resources identified to generate a throughput measurement of the path). Herein, a polling is immediately implemented, as considered by the examiner, to collect the most up-to-date network performance parameters (transmitting a throughput measurement request, the throughput measurement request causing a trace to propagate via a path between the origination terminal and the destination terminal).

Cheung discloses in Fig. 5 that the call is sent through the packet-switched network when the network performance characteristics match the quality requirements of the call. Herein, before the communications begin over the packet-switched network, a notification is sent to the caller indicating that the call is accepted (transmitting a call admission response to the origination terminal when the throughput measurement at least substantially matches the throughput requirement of the call request).

With respect to claims 3 and 34, Cheung discloses (col. 5, lines 3-12) that various call actions can be taken if the voice call can not be admitted to the packet switched network such as holding the voice call, sending the calling party a busy signal, providing the calling party the option of having the system call him or her back when the VoIP call can be admitted to the network, or rerouting the voice call over another network, such as a conventional circuit-switched network (selecting one or more network resources is based on the call admission response).

With respect to claims 4 and 35, Cheung discloses in Fig. 4, quality of service computer 320 for determining the network performance parameters (selecting one or more network resources is determined by usage policy of a policy server).

With respect to claims 5 and 36, Cheung discloses (col. 4, lines 26-30) that call quality requirements for the various performance parameters of the packet-switched network can be established to enable a higher quality of service for certain calls (throughput requirement relates to a perceptible quality of service).

With respect to claims 6 and 37, the limitation "throughput requirement is specified in a packet header" is inherent to Cheung. Cheung discloses (col. 8, lines 36-37 and Fig. 4) that the admission control gateway 300 receives the call from the initiator computer 310. From the illustration shown in Fig. 4, the communicated messages between the gateway and the computer must be in the form of packets and furthermore, each packet is known to comprise the header and payload portion. Wherein, header portion is known for carrying controlled information.

With respect to claims 14-17, 45-46, and 64-65, Cheung discloses (col. 5, line 65 – col. 6, line 4) that each gateway can also accumulate data parameters about the network and the current traffic, including network performance parameters, e.g., by polling (requesting packet or trace packet) every other gateway (one or more hops) in the network (herein, every other gateway in the network may form at least one or more paths or routes between the origination terminal and

Art Unit: 2667

the destination terminal) and/or receiving data from network components, such as routers.

Hence, each, gateway is able to keep or access up-to-date network data parameters.

With respect to claims 19-21 and 48-50, Cheung discloses (col. 5, lines 3-12) that various call actions can be taken if the voice call can not be admitted to the packet switched network such as holding the voice call, sending the calling party a busy signal, providing the calling party the option of having the system call him or her back when the VoIP call can be admitted to the network, or rerouting the voice call over another network, such as a conventional circuit-switched network (selecting an alternative resource as the network resource when the throughput measurement does not substantially match the throughput requirement of the call request; wherein the alternative resource comprising a switched telephone network and further comprising a dedicated communications link interconnecting devices).

With respect to claims 22 and 51, Cheung discloses (col. 5, lines 3-12) that various call actions can be taken if the voice call can not be admitted to the packet switched network such as holding the voice call, sending the calling party a busy signal (transmitting an alternative resource call admission response when the throughput measurement does not substantially match the throughput requirement of the call request), providing the calling party the option of having the system call him or her back when the VoIP call can be admitted to the network, or rerouting the voice call over another network, such as a conventional circuit-switched network.

Art Unit: 2667

With respect to claims 23-25 and 52-54, Cheung discloses (col. 4, lines 14-17) that the state of a packet switched network can be indicated by a number of performance parameters, including total delay, mean and standard deviation for such delay, packet loss, error rate, etc ... (determining a condition of the network resource, wherein the determining including determining a delay in the throughput measurement in the network; wherein the determining including a percentage of packet loss in the network).

With respect to claims 26 and 55, Cheung discloses (col. 4, lines 14-17) that the state of a packet switched network can be indicated by a number of performance parameters, including total delay, mean and standard deviation for such delay, packet loss, error rate, etc ... (determining an expected quality of service based on the determined condition of the network resource).

With respect to claims 27 and 56, Cheung discloses (col. 8, lines 7-12) a determination is made whether a call request is accepted or rejected (performing call admission control to accept or deny the call request).

With respect to claims 28 and 57, Cheung discloses (col. 8, lines 7-12) that the network characteristic parameters data are determined (wherein performing call admission control is based on usage of a link in the network).

Application/Control Number: 09/577,292 Page 8

Art Unit: 2667

With respect to claims 29 and 58, Cheung discloses in Fig. 2, a system for admitting call between a first telephone device 111 (first terminal), coupled to the first network 110, and a second telephone device 191 (second terminal), coupled to third network 190. Herein, telephone device 111 and first network are considered as first community, and telephone device 191 and third network are considered as second community. Wherein, first community and second community are connected via paths or links or channels of the IP network 140 (a link in the network for coupling the two communities).

Cheung discloses (col. 4, lines 14-17) that the state of a packet switched network (policy of the links of the IP network) can be indicated by a number of performance parameters, including total delay, mean and standard deviation for such delay, packet loss, error rate, etc ... (wherein performing call admission control includes performing call admission control based on a policy for the link between the communities).

With respect to claims 30 and 59, the limitation "bypassing the call admission control within at least one community" is inherent to Cheung. Since only one telephone device shows Fig. 2 for the purpose of illustration, if another telephone device couples to the first network 110, then two telephone devices can communicate via the first network 110 without the intervention of the admission control gateway.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 8-10 and 39-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cheung et al (US Patent No. 6,515,964 B1).

With respect to claims 8-9 and 39-40, Cheung discloses a method and apparatus for dynamically controlling the admission of calls to a network, wherein call requests received at the gateway are containing call characteristic requirements. Cheung does not disclose throughput requirement complies with Diffserv Protocol and/or MPLS protocol. However, such protocols are known in the art for carrying the specified and/or requested parameters originated from the source and send along the path to the destination, including the intermediate nodes for setting up a connection with a guarantee quality of service. It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of having the throughput requirement complies with such above protocols in Cheung's system to reserve network resources.

With respect to claims 10 and 41, Cheung discloses a method and apparatus for dynamically controlling the admission of calls to a network, wherein call requests received at the gateway are determined whether the call is admitted or rejected. Cheung does not disclose call request complies with SIP. However, SIP is known in the art for initiating and/or setting connections between two points in a network. It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of sending call

Art Unit: 2667

request in accordance to the Session Initiation Protocol in Cheung's system to set up a connection.

5. Claims 18 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cheung in view of Vargo et al (US Patent No. 6,356,545). Hereinafter, referred to as Cheung and Vargo.

With respect to claims 18 and 47, Cheung discloses a method and apparatus for dynamically controlling the admission of calls to a network, wherein call requests received at the gateway are determined whether the call is admitted or rejected. Cheung does not disclose selecting one or more sizes of a data packet as candidates for carrying audio data in the requested call. Vargo discloses in Fig. 3, an apparatus for managing calls in a system including an interface (NIC26) for receiving a call request to establish a call between two endpoints and a control unit (23 and 24) for processing the request and to control the selection of resource elements such as codec (col. 7, lines 27-35) or packet size (col. 7, lines 6-17). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of selecting one or more sizes of a data packet as candidates as specified in the requested call in Cheung's system, as suggested by Vargo, to accommodate quality of service of a call based on the usage or condition of the network.

#### Allowable Subject Matter

6. Claims 11-12 and 42-43 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

## Response to Arguments

7. Applicant's arguments filed September 29, 2005 have been fully considered but they are not persuasive.

Applicant argues in page 18 that Cheung fails to disclose immediate polling in response to receipt of a call. Examiner respectfully disagrees. Cheung discloses that as each incoming call is held, actual values of the performance parameters are updated (col. 4, lines 65-67).

Applicant further argues in page 19 that Cheung fails to disclose causing a trace to propagate via a path between origination and destination terminals nor receiving information in response to that trace that identifies network resources on that same path. Examiner respectfully disagrees. Cheung discloses that the delays associated with a call include d1, d2, and d3: d1 is the time taken by the incoming gateway to packetize the voice signals; d2 is the time taken by the outgoing gateway to reassemble the packets into voice signals; and d3 is the time taken to relay the packets through the IP network (col. 7, lines 18-23). This implies that information according to the trace via a path between the terminals is collected.

#### Conclusion

8. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Application/Control Number: 09/577,292 Page 12

Art Unit: 2667

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh-Vu H. Ly whose telephone number is 571-272-3175. The examiner can normally be reached on Monday-Friday 7:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

avl

CHI PHAM
PERVISORY PATENT EXAMI